01

--Fig. 9 shows the 21 peptide sequences obtained from lysyl endopeptidase and protease V8 digestion of purified bovine pituitary GGF-I.

## On page 27, line 28, insert:

02

-- Fig. 11 shows various trypsin and lysyl endopeptidase C peptides derived from GGF2.--.

On page 28, delete lines 3 and 4 and insert:

--Fig. 13 shows a graph comparing BrUdR-ELISA and [125I]UdR counting methods for the DNA synthesis assay in Schwann cell cultures.

Figs. 14A and 14B show graphs comparing Br-UdR immunoreactivity with the number of Br-UdR labelled cells.

Fig. 15 shows the mitogenic response of rat sciatic nerve Schwann cells to GGFs.

Fig. 16 shows a graph quantifying DNA synthesis in rat sciatic nerve Schwann cells and 3T3 fibroblasts in the presence of GGFs.

Fig. 17 shows a graph of the mitogenic response of BHK 21 C13 cells to FCS and GGFs.

Fig. 18 shows a graph of survival and proliferation of BH 21 C13 cell micro cultures after 48 hours in the presence of GGFs.

Fig. 19 shows a graph of the mitogenic response of C6 cells to FCS.

Figs. 20A and 20B are graphs showing the mitogenic response of C6 cells to aFGF

On page 27, line 20, delete "Fig. 10" and insert -- Fig. 10(A-B)--.

On page 27, line 28, delete "Fig. 12" and insert -- Fig. 12(A-B)--.

On page 28, line 20, delete "Fig. 23" and insert -- Fig. 23A and 23B--.

On page 28, line 20, delete "is" and insert --shows--.

On page 29, line 29, delete "Fig. 28B" and insert -- Fig. 28B and 28C--.

On page 30, line 4, delete "Fig. 28C" and insert -- Fig. 28D and 28E--.

On page 30, line 30, delete "Fig. 31" and insert/--Fig. 31A, 31B, 31C, 31D, 31E,

14

31F, 31G, 31H, 31I, 31J, 31K, 31L, 31M, 31N, 31O, 31P, 31Q, and 31R--.

On page 31, line 9, delete "Fig. 32" and insert -- Fig. 32A and 32B--.

On page 31, line 13, delete "Fig. 33" and insert -- Fig. 33A and 33B--.

On page 31, line 17, delete "Fig. 34" and insert -- Fig. 34A, 34B, and 34C--.

On page 31, line 31, delete "Fig. 37" and insert --Fig. 37A and 37B--.

On page 32, line 27, delete "Fig. 45" and insert -- Fig. 45A, 45B, 45C, and 45D--.

On page 32, line 29, delete "167" and insert --21--.

On page 33, line 14, delete "Fig. 50" and insert --Fig. 50A and 50B--.

On page 33, line 20, delete "Fig. 51" and insert -- Fig. 51A and 51B--.

On page 66, lines 6-11, add a SEQ ID NO, as provided below, immediately

following each of the respective sequences:

-- (SEQ ID NO: 179) --;

```
-- (SEQ ID NO: 180) --;

-- (SEQ ID NO: 181) --;

-- (SEQ ID NO: 182) --;

-- (SEQ ID NO: 183) --; and

-- (SEQ ID NO: 184) --.
```

On page 12, lines 8-19, add a SEQ ID NO, as provided below, immediately following each of the respective sequences.

On page 12, lines 26-30, add a SEQ ID NO, as provided below, immediately

following each of the respective sequences.

On page 13, lines 1-7, add a SEQ ID NO, as provided below, immediately following each of the respective sequences.

In the specification on page 7, line 16, page 32, lines 28-29, and page 66, lines 27-29, replace "SEQ ID NO: 167" with -- SEQ ID NO: 170--.

In the specification on page 61, lines 1-2, replace "SEQ ID NO: 44" with -- SEQ ID NO: 52--.

In the specification on page 61, line 27, insert -- (SEO ID NO: 188)-- after

"peptide 12."

Replace Figure 45 with the new drawing labeled Figure 45 provided herewith.

Delete the sequence listing of the specification, pages 101-179, and replace it with the new sequence listing provided herewith.

## In the Title:

Delete the previous title and replace it with the new title provided below.

--METHODS FOR INDUCING MYELINATION USING GLIAL GROWTH FACTORS.--

## In the Abstract:

Delete the previous abstract and replace it with the new abstract provided below.

--Disclosed are methods for inducing myelination of neural cells by glial cells.

The methods involve contacting glial cells with polypeptides comprising epidermal growth factor-like domains encoded by the GGF/p185 erb B2 ligand gene provided as a feature of the invention.--

## In the Claims:

Cancel claims 133-135 and 138.

Amend the claims as follows: